ALLOWANCE EQUIPAGE LIST (AEL)

SCBA, DC-FF SHIPBOARD FOR CG-47 CLASS CHARACTERISTICS CHARACTERISTICS REDUIT TO REPLACE THE ORA AND OBA CANISTER. REDUIT REMEMBER CONTROL AGE 2-80004200 SERIES AND BREATHING APRS-OXY AA AEL 2-80004200 SERIES AND BREATHING APRS-OXY AA AEL 2-80004200 SERIES AND BREATHING APRS-OXY AA AEL 2-80004200 THRU 2-930994064. THE SELF CONTAINED BREATHING APPARATUS (SCBA) USES A HIGH PRESSUR AIR CVILINDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL ANATON SERVICE TIME OF THREY MI DAMAGE CONTROL ANATON SERVICE TIME OF THREY MI DAMAGE CONTROL MINUTES (DEPENDING ON THE SIZE OF THE INSTALLED AIR CVILINDERS). THE SCBA AND ITS ASSOCIATED AIR HOSSE. CONSISTS OF HIER PRESSUR AIR COMPRESSOR, AIR TO THE SCBA AND AIR TO SERVICE THE OF THREY MI DAMAGE CONTROL MASK AND ASSOCIATED AIR HOSSE. FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS: AIR BSTR PUMP ASSY BREATHING AIR TESTER 9905800005 SCBA (100 MIN FIBERGLASS) 9905800005 SCBA (101 MIN CARBON) 9900004 FILTER ASSEMBLY, MP ALL CHANGES TO THIS AEL MUST BE ENDORSED BY THE TYCOM AND APPROVED BY MAYSA DAMAGE CONTROL, IN NRITING, NOTE 1: THE SCBA BACKPACK. THE SCBA CONFIGURATION CHANGE WILL BE SERVICED BY THE DCA OR CHERCH BY YEXCHANGING THE CVILINDER AND SIZE OF CVILINDERS IS DETERMINED BY ADDING CVILINDERS WITHIN AN SCBA AND SPARE CVILINDER AND SIZE OF CVILINDERS IS DETERMINED BY ADDING CVILINDERS WITHIN AN SCBA AND SPARE CVILINDER AND SIZE OF CVILINDERS IS DETERMINED BY ADDING CVILINDERS WITHIN AN SCBA AND SPARE CVILINDER AND SIZE OF CVILINDERS IS DETERMINED BY ADDING CVILINDERS WITHIN AN SCBA AND SPARE CVILINDER AND SIZE OF CVILINDERS IS DETERMINED BY ADDING CVILINDERS WITHIN AN SCBA AND SPARE CVILINDER ALLOWANCE EQUIPAGE LIST (VILIDERS, BEFENDER BOOK BOOK BY THE SCRAPP CVILINDERS ALLOWANCE EQUIPAGE LIST (VILIDERS, BEFENDER BOOK BOOK BY THE SCRAPP CVILINDERS ALLOWANCE EQUIPAGE LIST (VILIDERS	COURT OF TOWER OF THE PARTY OF	7,122011711102 21	JUIPAGE LIST (AEL	<u> </u>					
COMPARATEMENTS OF THIS AEL IS TO REPLACE THE OBA AND OBA CANISTER. REDULATION OF CONTROL AEL REDULATION OF CONTROL AEL RESURE AIR CYLINDER WITH A REGULATOR RATED TO SUPPLY BEATTHING APPRATUS (SCEA) USES A HIGH PRESSURE AIR CYLINDER WITH A REGULATOR RATED TO SUPPLY BEATTHING AIP THIS AEL TO THE USER OUR OWNER OF THE FIGHTING FUNCTIONS. IT SHALL HAVE A MINIMUM RATED SEAVICE THIN OF THIRTY MINISTES AND FORT HIGH PRESSURE CASE OF THE FOLLOWING APRESSORS: CONSISTS OF HIGH PRESSURE (ASSO) SPECIAL TO CASE OF THE INSTALLED AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS, FACE FOR REPSET PARTS SUPPORT SEE THE FOLLOWING APRAS DESCRIPTION OF THE FIGHTING APPRATUS. SCEA (30 MIN FIBERGLASS) 9905B00002 SCEA (45 MIN CARBON) 99A010025 SCEA (45 MIN CARBON) 99A010026 GOMENT OF THE CONTROLLED BY THE TYCOM AND APPROVED BY NAVSEA DAMAGE CONTROL. IN NRITING. NOTE 1: THE SCEA SCHOOL OF THE SCEA BACKPACK. THE SCEA ACCORDING THE SCHOOL OF THE SCHOOL	EQUIPAGE NOMENCLATURE/CHARACTERISTICS		MANUAL		IDENTIFICATE	ON NO.	DAT	Έ	PAGE
CHAPACTERISTICS THE SALL IS TO REPLACE THE OBA AND DBA CANISTER REDUIR MENTS CURRENTLY FOUND ON DAMAGE CONTROL AEL 2-80004200 SERTES AND BREATH DIAMAGE CONTROL AEL 2-80004200 SERTES AND BREATH DIAMAGE CONTROL AEL 2-80004200 SERTES AND BREATH DIAMAGE CONTROL THE SELF CONTAINED BREATH NA APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER WITH A REQULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REQULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REQULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REQULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REQULATOR RATED TO SUPPLY BREATHING AIR TO THE SIZE OF THE INSTALLED AIR THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMENT (WHICH INCLUDES DIESEL AND/OR ELECTRIC TAIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (4500 PSIG) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REQULATORS. FACE MASK AND ASSOCIATED AIR HOSEE. FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS: AIR BSTR PUMP ASSY 900580002 SCBA (30 MIN TARBON) 909090717 BREATHING AIR TESTER BREATHING AIR TESTER BREATHING AIR TESTER BREATHING AIR TESTER AND SIZE OF WAYSEA DAMAGE CONTROL. IN WRITING. NOTE 1: THE SCBA BACKPACK, THE SCBA COMFIGURATION CHANGE OF 30 MINUTE OR 45 MINUTE CYLINDERS IS DETERMINED BY ADDING CYLLINDERS WITHIN THIS SEL THE NUMBER OF 30 MINUTE OR 45 MINUTE CYLINDERS ONE ORDER WITH SCALL OUANTITIES DEFINED WITHIN THIS SEL THE NUMBER OF 30 MINUTE OR 45 MINUTE CYLINDERS ONE ORDER WAS AND SPACE CYLINDER BEHABERCE MOJES CONTROL FIRE REPORD AND SPACE CYLINDER BEHABERCE MOJES CONTROL FIRE REPORD WITHIN AIR SCBA BACKPACK, THE SCBA COMPATION OF THE SCRA BACKPACK, THE SCBA COMPATION OF THE SCRA BACKPACK, THE SCBA COMPATION OF THE SCRA BACKPACK THE SCBA COMPATION OF THE SCBA BACKPACK THE SCBA COMPATION OF THE SCBA BACKPACK THE SCBA COMPATION OF THE SC		TECHNICAL							
G-AMAGIERISTS: HIS AEL IS TO REPLACE THE OBA AND OBA CANISTER. REGULTREMENTS CURRENTLY FOUND ON DAMAGE CONTROL. AEL 2-800044200 SERTES AND BREATHING APRS-OXY AM AEL 2-800044200 SERTES AND BREATHING APRS-OXY AM AEL THE SELF-CONTAINED BREATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER MITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE SIZE OF THE INSTALLED AIR THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMENT (WHICH INCLUDES DIESEL AND/OR ELECTRIC FUR (COMPRESSORS) CONSISTS OF HIGH PRESSURE (4500 PSIG) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS. FACE MASK AND ASSOCIATED AIR HOSEE. FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS: AIR BSTR PUMP ASSY SCBA (30 MIN FIBERGLASS) SCBA (30 MIN FIBERGLASS) SCBA (30 MIN FIBERGLASS) SCBA (30 MIN CARBON) 99010025 SCBA (45 MIN CARBON) 99010025 SCBA	SCBA, DC-FF SHIPBOARD FOR CG-47 CLAS	S NUMBER							
ON BOARD ALLOWANCE TABLE TO CO.			PLAN		1				
ON BOARD ALLOWANCE TABLE TO CO.					2-33002	1104	los-	-24-01	1 1
2-880044200 SERTES AND BREATHING APRS OXY AA AEL 2-93009406 THRU 2-930094064 THE SELF-CONTAINED BREATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNCTIONS. IT SHALL HAVE AM MINUM RATED SERVICE TIME OF THIRTY MINUTES AND FORTY-FIVE MINUTES (DEPFRONIAG ON THE SIZE OF THE INSTALLED AIR CYLINDERS). THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMENT (WHICH INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (4500 PS.16) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS, FACE MACHACA FOR ARTIS SUPPLY AND ART SHORT OF THE FOLLOWING APIS. AIR BSTR PUMP ASSY BREATHING AIR TESTER 90580009 SCBA (30 MIN FIBERGLASS) 90580000 SCBA (30 MIN FIBERGLASS) 990580002 SCBA (31 MIN FIBERGLASS) 990580002 SCBA (34 MIN FIBERGLASS) 990580003 SCBA (35 MIN FIBERGLASS) 990580003 SCBA (36 MIN FIBERGLASS) 990580004 SCBA (37 MIN FIBERGLASS) 990580004 SCBA (37 MIN FIBERGLASS) 990580006 SCBA (38 MIN FIBERGLASS) 990580006 SCBA (30 MIN FIBERGLASS) 990580007 SCBA (45 MIN FIBERGLASS) 990580007 SCBA (45 MIN FIBERGLASS) 990580000 SCBA (45 MIN FIBERGLASS) 900580000 SCBA (45 MIN FIBERGLASS) 9005800000 SCBA (CHARACTERISTICS								
2-880044200 SERTES AND BREATHING APRS 0XY A4 AEL 2-930094060 THRU 2-930094064 THE SELF-CONTAINED BREATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNCTIONS. IT SHALL HAVE AM MINUM RATED SERVICE TIME OF THEIRTY MINUTES AND FORTY-FIVE MINUTES (DEPFRONIAG ON THE SIZE OF THE INSTALLED AIR CYLINDERS). THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMENT (WHICH INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (4500 PSIG) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS, FACE MACHED ARCHARD AIR HOSE. FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APIS. AIR BSTR PUMP ASSY 900990717 BREATHING AIR TESTER 900580009 SCBA (30 MIN FIBERGLASS) 900580009 SCBA (30 MIN FIBERGLASS) 990580002 SCBA (30 MIN FIBERGLASS) 990580002 SCBA (30 MIN FIBERGLASS) 990580002 SCBA (30 MIN FIBERGLASS) 990580003 SCBA (30 MIN FIBERGLASS) 990580004 SCBA (30 MIN FIBERGLASS) 990580007 SCBA (30 MIN FIBERGLASS) 90080003 SCBA (30 MIN FIBERGLASS) 9	THIS AEL IS TO REPLACE THE OBA	AND OBA CANISTER.		SARVA	<u> </u>	N BUAF	UAL	LUWAN	VE JABLE
THE SELF-CONTAINED BEATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER WITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND IRE FIGHTING FUNCTIONS. IT SHALL HAVE A MINIMUM RAD SERVICE TIME OF THIRTY MINUTES AND FORTY-FIVE MINIMISES PROBLING ON THE SIZE OF THE INSTALLED AIR THE SCBA-RAD. ITS ASSOCIATED CHARGING FOULTMENT (HHICH INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (ASD PSIG) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS, FACE MASK AND ASSOCIATED DIA HOSEE FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS: AIR BSTR PUMP ASSY ARE STRIMP ASSY SCBA (30 MIN FIBERGLASS) 990580009 SCBA (45 MIN FIBERGLASS) 990580009 SCBA (45 MIN FIBERGLASS) 990580003 SCBA (30 MIN FIBERGLASS) 990580003 SCBA (30 MIN FIBERGLASS) 990580003 SCBA (30 MIN CARBON) 99A010025 SCBA (30 MIN CARBON) 99A010026 COMPRESSOR, BREATHING AIR 06A990004 FILTER ASSEMBLY, HP ALL CHANGES TO THIS AEL MUST BE ENDORSED BY THE TYCOM AND APPROVED BY NAVSEA DAMAGE CONTROL, IN WRITING, NOTE 1: THE SELF-CONTAINED BREATHING AIR FUNCOM AND APPROVED BY NAVSEA DAMAGE CONTROLL IN WRITING, NOTE 1: THE SELF-CONTAINED BREATHING AIR CYLINDER INSTALLED IN THE SCBA BACKPACK. THE SCBA CONFIGURATION CHANGE WILL BE CONTROLLED BY THE DCA OR CHENG, HOWEVER, THE NUMBER OF 30 MINUTE OR 45 MINUTE CYLINDERS ORBORANC CANNOT EXCEED THE QUANTITIES DEFINED WITHIN THIS AEL. THE NUMBER AND SIZE OF CYLINDERS IS DETERMINED BY ADDING CYLINDERS WITHIN AN SCBA AND SPARE CYLINDER ON THE SELF-CONTROL BREATHING BY PACHONIC BY THE DCA OR CHENG, HOWEVER, THE NUMBER OF 30 MINUTE OR 45 MINUTE RATING BY EXCHANGING THE CYLINDER ON THE SELF-CONTROL BREATHING BY ADDING CYLINDERS WITHIN THIS AEL. THE NUMBER AND SIZE OF CYLINDERS IS DETERMINED BY ADDING CYLINDERS WITHIN AN SCBA AND SPARE CYLINDER ON THE FIRER GLASS CYLINDER OR ORBORANC CANNOT EXCEED THE QUANTITIES DEFINED WITHIN THIS AEL. THE NUMBER AND SIZE OF CYLINDERS IS DETERMINED BY ADDING CYLINDERS WITHIN AN SCBA AND SPARE CYLINDER ONTE SHAPPER OR THE STRING	REQUIREMENTS CURRENTLY FOUND ON	DAMAGE CONTROL AEL		N D D E P P		_	L		
THE SELF-CONTAINED BEATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER NITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND IRE FIGHTIME FUNCTIONS. IT SHALL HAVE A MINIHUM RATE SEVELETIME OF THIRTY MINUTES AND FORTY-FIVE MINUTESES PERDING ON THE SIZE OF THE INSTALLED AIR CHUSES PERDING ON THE SIZE OF THE INSTALLED AIR THE SCBA AND. ITS ASSOCIATED CHARGING FOULTMENT (HITCH INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (ASDO 251G) AIR CYLINDER IN A BACKPACK TYPE HARNESS. AIR PRESSURE REGULATORS, FACE MASK AND ASSOCIATED AIR HOSEE FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS. AIR BSTR PUMP ASSY BREATHING AIR TESTER 990580009 SCBA (30 MIN FIBERGLASS) 990580009 SCBA (30 MIN FIBERGLASS) 990580003 SCBA (30 MIN FIBERGLASS) 990580004 SCBA (30 MIN CARDON) 99A010025 COMPRESSOR, BREATHING AIR (064990004 FILTER ASSEMBLY, HP 48980675 ALL CHANGES TO THIS AEL MUST BE ENDORSED BY THE TYCOM AND APPROVED BY NAVSEA DAMAGE CONTROL, IN WRITING, NOTE 1: THE SELF-CONTAINED BREATHING AIR THE CYLINDER AND APPROVED BY NAVSEA DAMAGE CONTROLLED BY THE DCA OR CHENG, HOWEVER, THE NUMBER OF 30 MINUTE OR 45 MINUTE RATING BY EXCHANGING THE CYLINDER INSTALLED IN THE SCBA BACKPACK. THE SCBA CONFIGURATION CHANGE WILL BE CONTROLLED BY THE DCA OR CHENG, HOWEVER, THE NUMBER OF 30 MINUTE OR 45 MINUTE CYLINDERS INTENDED BY AND THE OR 45 MINUTE RATING BY EXCHANGING THE CYLINDER AND SIZE OF CYLINDERS TO SOBORAN CANNOT EXCEED THE QUANTITIES DEFINED WITHIN THIS AEL. THE NUMBER AND SIZE OF CYLINDERS IS DETERMINED BY ADDING CYLINDERS WITHIN AN SCBA AND SPARE CYLINDER ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL)	2-880044200 SERIES AND BREATH	ING APRS-OXY A4 AFI	ļ:	e Norte E				COL. COL	
THE SELF-CONTAINED BREATHING APPARATUS (SCBA) USES A HIGH PRESSURE AIR CYLINDER MITH A REGULATOR RATED TO SUPPLY BREATHING AIR TO THE USER DURING DAMAGE CONTROL AND FIRE FIGHTING FUNCTIONS. IT SHALL HAVE A MINIMUM RATED SERVICE TIME OF THERTY MINUTES AND FORTY-FIVE MINUTES (DEPPENDING ON THE SIZE OF THE INSTALLED AIR CYLINDERS). THE SCBA AND ITS ASSOCIATED CHARGING EQUIPMENT (WHICH INCLUDES DIESEL AND/OR ELECTRIC AIR COMPRESSORS) CONSISTS OF HIGH PRESSURE (ASOO PSIG) AIR CYLINDER IN ARKOCKPACK SOCI HARNESS, AIR PRESSURE REGULATORS. FACE FOR REPAIR PARTS SUPPORT SEE THE FOLLOWING APLS: AIR BSIR PUMP ASSY BREATHING AIR TESTER 909090717 BREATHING AIR TESTER 909090717 BREATHING AIR TESTER 909080009 SCBA (30 MIN FIBERGLASS) 905080002 SCBA (30 MIN FIBERGLASS) 905080003 SCBA (30 MIN FIBERGLASS) 905080003 SCBA (30 MIN GARBON) 99A010025 SCBA (36 MIN FIBERGLASS) 905080004 FILTER ASSEMBLY, MP ALL CHANGES TO THIS AEL MUST BE ENDORSED BY THE TYCOM AND APPROVED BY NAVSED DAMAGE CONTROL, IN WRITING, NOTE 1: THE SELF-CONTAINED BREATHING APPARATUS (SCBA) CAN BE RECONFIGURED TO CITHER A 30 MINUTE OR 45 MINUTE RATING BY EXCHANGING THE CYLINDER INSTALLED IN THE SCBA BACKPACK. THE SCBE COMPTIGURATION CHANGE WILL BE CONTROLLED BY HE OUGH STALLED IN THE SCBA BACKPACK. THE SCBE COMPTIGURATION CHANGE WILL BE CONTROLLED BY HE OUGH STALLED IN THE SCBA BACKPACK. THE SCBE COMPTIGURATION CHANGE WILL BE CONTROLLED BY HE OUGH STALLED IN THIS AEL NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT CYLINDER NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT CYLINDER NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT CYLINDER BEHTMEN REDED TO ORDER NEW REPLACEMENT CYLINDER NOTE 2: WHEN NEEDED TO ORDER NEW REPLACEMENT CYLINDERS. BOTH FIBER GLASS CYLINDER AND CARRON FIBER **STOCK NO.** **ALLOWANCE EQUIPAGE LIST (AEL)**	2-930094060 THRU 2-930094064.		.		1 2	3 4	5	6 7	8
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	THE SELF-CONTAINED BREATHING AP	PARATUS (SCBA) USES	Δ						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	HIGH PRESSURE AIR CYLINDER WIT	TH A REGULATOR RATED	`TO						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1									
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	AND FIRE FIGHTING FUNCTIONS	IT SHALL HAVE A MINIT	MIIM						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	RATED SERVICE TIME OF THIRTY	MINUTES AND FORTY-FI	JE .						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	MINUTES (DEPENDING ON THE SIZ	F OF THE INSTALLED A	T D						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	CYLINDERS)	_ OF THE INSTALLED A	I N						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	THE SCRA AND ITS ASSOCIATED CHA	RGING FOUIDMENT (MUT	~⊔						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)			>11						1
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	CONSISTS OF HIGH DESCRIBE (AE	TO DETEN ATD CALINDS	D TNI						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY NO BUT OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	A RACKDACK TYDE HADNESS ATD	DO ESTAL MIK CIFINDE	LYCL K IN						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	MASK AND ASSOCIATED ATD HOSE	TRESSURE REGULATURS,	race a						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	COD DEDAID DADTS SUBBOOT SEE TH	E FOLLOWING ADLE						-	
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	YID DOTD DIMO YOON							i	
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	DESTURISE ATE TECTED		1						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1									
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	CCDA (AE MIN EIDEDCLACC)							İ	
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	SCDA (40 MIN CARRON)		3						
REFERENCE NO /DESCRIPTIVE DATA ITEM NAME STOCK NO. S M R S N C UN / O 1 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)			#			ļ			
REFERENCE NO /DESCRIPTIVE DATA ITEM NAME STOCK NO. S M R S N C UN / O 1 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)			The state of the s						1
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC			ii ii				[- 1]
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOC	FILIER ASSEMBLY, HP	489980675							
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	ALL CHANGES TO THIS AEL MUST BE	ENDORSED BY THE TACK	OM #					1	
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY HE WAS NO COLUMN OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	AND APPROVED BY NAVSEA DAMAGE	CONTRUL, IN WRITING	• .						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1			A)				 		İ
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1)R						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	45 MINUTE KATING BY EXC	ANGING THE CYCINDER							
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	INSTALLED IN THE SCHA BY	ACKPACK. THE SCBA							
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	CONFIGURATION CHANGE WIT	LL BE CONTROLLED BY	THE [
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOC	UCA UR CHENG, HOWEVER,	THE NUMBER OF 30 MIN	JTE						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY NO BUT OF 1 2 3 4 5 6 7 8 ALLOWANCE EQUIPAGE LIST (AEL)	OR 45 MINUIE CYLINDERS	JNBOARD CANNOT EXCEED	D_THE						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	QUANTITIES DEFINED WITH	IN THIS AEL. THE NUMP	3ER ∰						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	AND SIZE OF CYLINDERS IS	S DETERMINED BY ADDI	NG 📱						
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY ALLOWANCE EQUIPAGE LIST (AEL) ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 03 1	CYLINDERS WITHIN AN SCBA	A AND SPARE CYLINDER							
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOC	QUANTITIES LISTED ON TH	ÍS AEL.							
REFERENCE NO/DESCRIPTIVE DATA ITEM NAME STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOCK NO. BY STOC	NOTE 2: WHEN NEEDED TO ORDER NET	N REPLACEMENT CYLINDS	ERS,						1
ALLOWANCE EQUIPAGE LIST (AEL) Column	BOTH FIBER GLASS CYLINDI	<u>ER AND CARBON FIBER</u>						- 1	
ALLOWANCE EQUIPAGE LIST (AEL) 2 - 330024104 06 - 24 - 0.3 1	8								
ALLOWANCE EQUIPAGE LIST (AEL) 2-330024104 06-24-03 1				Y A CAT					7
	A117	NAME COMPAGE	.a- / \	Ç k v 6 5 9		Ì			1
		JWANCE EQUIPAGE L	JOI (AEL)	· 100 8 4 10 1	2-33002	24104	06-	24-03	1
SHIP TYPE & HULL NO.	SHIP TYPE & HULL NO.	·							+

ALLOWANCE EQUIPAGE LIST (AEL)

EQUIPAGE NOMENCLATURE/CHARACTERISTICS ALLOWANCE EQUIPAGE LIST (AEL) MANUAL IDENTIFICATION NO. DATE PAGE												
230. NOE HOMEHOEKTORE/ORARAOTERISTICS		TECHNICAL	MANUAL		IDE	NTIFICA	ATION I	NQ.	DATE	Ē	PA	GE
SCBA, DC-FF SHIPBOARD FOR CG-47 CLASS												
JOBA, DO 11 SHIFBOARD FOR CO	T CLASS	NUMBER	PLAN		⊣			- 1				
			, wat		2-	3300	2411	n4	በ6 -	24 - C	3 .	,
CHARACTERISTICS									06-24-03 ARD ALLOWANCE			
CYLINDERS ARE	AUTHORIZED AS A REPLACE	MENT.		NOTES NOTES NOTES NOTES				VACU	<u> </u>	UHA	NCE IA	BLE
HOWEVER, IT IS	RECOMMENDED THAT THE R	EPLACE	MENT	O M RR N S C A E P O T O C C A C O S E D	COL	. COL.	COL.	COL.	OL C	OL CO	ال	COL.
LYLINDERS MAILI	H THE EXISTING CYLINDER NO DIFFERENCE IN PERFO	2 ONROV	ARD	LETVC S VU	1	2	3			6 7		8
	YLINDER. THE VISIBLE DI											
IS THAT FIBER (GLASS CYLINDER IS YELLO	W IN CO	JI DR									
& CARBON FIBER	LCYLINDER IS BLACK IN A	PPEARAI	NCE.									
NOTE 3: BREATHING AIR I	REDUCING STATION (BARS)											
ONE PER SHIP;	STOWAGE DETERMINED BY D	CA.										
COLUMNS 1 THRU 7 BLANK						1						
COLUMN 8 FOR CG-47 CLA: CAGE-12004	.55				A.							
CCF DATE -12 02												
OUL DATE IE OF												
7245940 A	IR BSTR PUMP ASSY	7HH43	10-01-465-1507									,
TOTAL QTY, 30 MIN SCBA BI	REATHE APRS,30MIN	1HS000	00-LL-CQA-7350	UPAOOD 1RAY UXBOOO 1EEA S	EL			1			5	5
	EE NOTE 2					1				1		-
804861-37 BI	REATHE APRS, 30MIN CARBN	9Z 424	10-01-486-1946	UPA 00 0 H E EA S	Щ					- 1		
	EE NOTE 2 REATHE APRS,30MIN FIBER	07 /2/	10-01-440 E2E1	NDAGOZ UETA 6	2.					-		
\$1 SI	SEE NOTE 2	92 424	+0-01-449-5351	UPA O OZ H e ea s	54							
	REATHING AIR RED STA AY	9Z 424	10-01-485-7705	UPA OO O 1 E AY								1
\$I	EE NOTE 3			V. (1000 100)							'	L
65_25_960 BI	REATHING-AIR TESTER	7HH666	55-01-473-8300	UPA OD D 1 R EA								1
805004-01 CI	HARGING WAND ASSEMBLY	9C 473	30-01-468-8025	UPA DZ Z 1REA	i l	.						3
C-D/DV/NAVY CO	OMPRESSOR, BREATHING AIR	7HH431	10-01-465-1509	UPADDD 1EEA				Ì				3
	OVER, ABPA	92 424	40-01-486-6141	UPAOZZ 1REA					1		2	2
	OVER,COMPRESSOR OVER,HPFA		10-01-468-8384	UPAOZZ 1REA	ă.] 3	3
TOTAL QTY, CYLINDER 30 MI CY	VIINDER SOMIN	145000	10-01-486-6121 00-LL-CQA-7352	UPADZZ 1REA							4	3
	EE NOTE 2	1113000	00 EL CUA-7332	UXB OZ Z 1 E EA S	44						43	3
804721-01 CV	YLINDER, 30MIN CARBON	9Z 424	10-01-486-1939	UPAOZZ HEEA S	FI							
SI	EE NOTE 2											
	YLINDER,30MIN FIBER	9Z 424	10-01-376-6992	UPAOZZ HEEA S	EŲ							
TOTAL QTY, CYLINDER 45 MI CY	EE NOTE 2	1110000	NO 11 CO 1 TOSS									
TOTAL UIT, CILINDER 45 MI CI	YLINDER,45MIN EE NOTE 2	TH200(00-LL-CQA-7353	UXBOZZ 1EEA S	EL						98	3
	YLINDER,45MIN CARBON	185000	99-LL-H55-4954	UPAOOO HEEA S	6					-		
	EE NOTE 2	1112003	/J EC 1133-4334	UFMUNU HELA 5	54							
804106-01 CY	YLINDER, 45MIN FIBER	9Z 424	<u>10</u> -01-449-6416	UPA OZ Z H E EA S	FI							
REFERENCE NO./DESCRIPTIVE DATA	ITEM NAME		STOCK NO.	8 S M A 8 N C U/I Q	1.	2	3	4	5	6 7	+	8
				B S A H B N C UI D T C UI C C P S S C C P C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S S C C P S C C P S S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P S C C P							T	
	ALLOWANCE EQUIP	DACE !	ICT /AEL\	C C N VE S O				J				
SHIP TYPE & HULL NO.	ALLOWANCE EQUIP	-AUE L	IST (ACL)	B S W H S N C UI D T Y C U A A C O Y S C U C T C U C T C U C T C U C T C U C T C U C T C U C T C U C T C U C U	2	-3300	0241	104	06-	24-0	3 2	2
SHIFT THE & MULL NO.												

ALLOWANCE EQUIPAGE LIST (AEL)

EQUIPAGE NOMENCLATURE/CHARACTERISTICS		 	MANUAL		1				
IIIO		TECHNICAL	MANUAL		IDENTIFI	CATION NO). D	ATE	PAGE
SCBA, DC-FF SHIPBOARD FO	OR CG-47 CLASS	TECHNICAL DOCUMENT NUMBER							
			PLAN						
CHARACTERISTICS		<u> </u>			2-330				
CHARACTERISTICS				S S W R N	-	ON BC	ARD A	ALLOW/	NCE TABLE
				S E C C C C C C C C C C C C C C C C C C	COL CO		DL. COL	COL C	OL. COL.
	SEE NOTE 2			A COTO	1 2		4 5		7 8
804871-31	FACEPIECE.SZ SM	9Z 42	40-01-449-3106	UPA OZ Z 1 E EA					12
804871-33	FACEPIECE SZ X-LRG	9Z 424	40-01-449-3120	UPA 02 Z 1EEA					6
7245941 7245944-1	FILTER ASSEMBLY, HP HOSE AY/FILTER AIR/H102	7HH43	30-01-472-6835 20-01-477-1225	UPAODD 1RAY					3 3 3 3
7245944-2	HOSE AY, DRIVE AIR, H101		20-01-477-1225	UPA OD D 1 R AY UPA OD D 1 R AY					3
7245948-1	HOSE AY, FILT/AIR SUPPLY	7HH472	20-01-477-1223	UPAODD 1RAY					3
MODEL 1600 39400	KING PELICAN CASE WIRE RACK,COLLAPSIBLE	9Z 670	50-01-491-2762V	J XPAOZZ 1REA					3
00100	MINE MACK, CUELARSIBLE	TUNIO	99-LL-H52-9120	UPA OZ Z 1 E EA					2
		E /	N D						
						1 1			
				A BOA A A					
						j			
							ļ		
REFERENCE NO./DESCRIPTIVE DATA	ITEM NAME		STOCK NO.						
	(1.000.117.000		STOCK NO.	S NA A COP ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ES OF ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE ELECTRIC COPE	1 2	3 4	5	6	7 8
	ALLOWANCE FOU	DACE :	IOT (ACL)	C N V S S					
SHIP TYPE & HULL NO.	ALLOWANCE EQUI	PAGE L	ISI (AEL)		2-330	02410	14 06	5-24-(3 3
OTHE A HULL NO.									

1 2 2